

TOOLJOY®



Product catalogue 2025

Quality creates a joyful life

www.powertooljoy.com

COMPANY OVERVIEW

HISTORY

Since 2006, Anhui Shengshi Hardware Tool Manufacturing (TOOLJOY) has been dedicated to the range of quality power tools and accessories, including driver bits, bit sets, bit holders, nut setters, hex keys, impact sockets, screwdrivers and sets, drill bits and sets, etc. To date, TOOLJOY has acquired over 50 patents on invention or design, and passed the ISO9001 and BSCI certification. For over 20 years, TOOLJOY has provided premium products and services not only for industrial end-user customers but also for tools brands from U.S., Canada, Germany, U.K., Israel, India, Iran, Pakistan, Chile, etc.

Upholding the principle of "Customers First, Innovation for Win-win Benefits, Continuously Seeking Excellence", Tool Joy has been committed to providing expertise on ONE-STOP tools & accessories solutions for customers around the world!



PRODUCTION CAPACITY AND QUALITY CONTROL

So far, TOOLJOY has organized modernized production lines with over 100 sets of CNC milling machines, injection machines, laser marking machines, torque and fatigue testing machines, etc., with a production capacity of 500,000pcs per day. And covers 15000 Square Meters.

TOOLJOY has always attached great importance to quality control and strictly applied standard operating procedures during mass production. In daily production, three major inspection procedures have consistently been adopted:

- 1) IQC, a through check on raw materials before storage in warehouse;
 - 2) IPQC, a 15-minute frequency routine check with gauge indaily production;
 - 3) FQC, a final check with gauge based on 5% of the total production quantity.
- Besides the above, torque and fatigue testing is conducted after heat treatment.

TOOLJOY®

20 YEARS OEM factory for famous tool brands around the world The TOP Alibaba and MIC Online

15000+ SQUARE METRES FACTORY **1000+** PRODUCTS

200+ CUSTOMERS **100+** STAFFS **30+** COUNTRIES



Strong **R&D CAPACITY!**

34 design and Structure of the patents!



-50 Patents

-12 invention patents

-10 Appearance patents

-Our logo TOOLJOY has been registered in Many places of world

Certificate



Established in **2006** Year

Got **SGS** certificate in
2018 Year

Get **ISO9001** Certificate in
2018

Got **CE** certificate by
UDEM in **2020** Year

Got **BSCI** certificate in
2022 Year

Got **TUV** certificate in
2022 Year

-We focus on **OEM** for **TOP** brand around the world

-Choose **TOOLJOY** Choose **QUALITY**



Contents

IMPACT TORSION DRIVER BITS-----P01-P07

ANTI-SLIP BITS-----P08-P09

DOUBLE-END DRIVER BITS-----P10-P12

SINGLE-END DRIVER BITS-----P13-P18

BIT HOLDERS-----P19-P23

BIT SET-----P24-P37

SCREWDRIVER-----P38-P41

THE IMPACT SOCKET BITS-----P42-P44

NUT SETTERS-----P45-P46

PRECISION BITS-----P47-P50

















IMPACT TORSION DRIVER BITS

1. TaiwanS2 tool steel undergoes special heat treatment processing, with ultra-high torque output. 2. Used in conjunction with an electric impact screwdriver to ensure maximum impact resistance. 3. Precise CNC machining of the head results in better fullness and more accurate shape. Reduce head wear during high-intensity fastening operations. 4. Special torque buffer design, absorbs deformation, increases torque transmission, and extends service life. 5. Laser marking enhances the recognition of size specifications. 6. Manganese phosphate surface treatment enhances anti-rust property and corrosion resistance.

APPLICATION: 1. Special industrial-grade product. 2. Using the impact drill to exert super impact resistance 3. Mostly used in industrial assembly lines, construction, home decoration, equipment maintenance, etc.







Phillips Insert Bits












	Tip Size	mm	D	Part Number	
	 	PH0	25mm	3.65mm	DBT6PH025
		PH1	25mm	3.65mm	DBT6PH125
		PH2	25mm	3.85mm	DBT6PH225
		PH3	25mm	5.50mm	DBT6PH325
		PH4	25mm	6.00mm	DBT6PH425
	 	PH0	50mm	3.65mm	DBT6PH050
		PH1	50mm	3.65mm	DBT6PH150
		PH2	50mm	3.85mm	DBT6PH250
		PH3	50mm	5.50mm	DBT6PH350
	 	PH1	75mm	3.65mm	DBT6PH175
		PH2	75mm	3.85mm	DBT6PH275
		PH3	75mm	5.50mm	DBT6PH375
	 	PH1	90mm	3.65mm	DBT6PH190
		PH2	90mm	3.85mm	DBT6PH290
		PH3	90mm	5.50mm	DBT6PH390
	 	PH1	150mm	3.65mm	DBT6PH1150
		PH2	150mm	3.85mm	DBT6PH2150
		PH3	150mm	5.50mm	DBT6PH3150

Pozidriv Impact Insert Bits












	Tip Size	mm	D	Part Number	
	 	PZ0	25mm	3.65mm	DBT6PZ025
		PZ1	25mm	3.65mm	DBT6PZ125
		PZ2	25mm	3.85mm	DBT6PZ225
		PZ3	25mm	5.50mm	DBT6PZ325
		PZ4	25mm	6.00mm	DBT6PZ425
	 	PZ1	50mm	3.65mm	DBT6PZ150
		PZ2	50mm	3.85mm	DBT6PZ250
		PZ3	50mm	5.50mm	DBT6PZ350

Pozidriv Impact Insert Bits

	Tip Size	mm	D	Part Number	
	 	PZ1	75mm	3.65mm	DBT6PZ175
		PZ2	75mm	3.85mm	DBT6PZ275
		PZ3	75mm	5.50mm	DBT6PZ375
	 	PZ1	90mm	3.65mm	DBT6PZ190
		PZ2	90mm	3.85mm	DBT6PZ290
		PZ3	90mm	5.50mm	DBT6PZ390
	 	PZ1	150mm	3.65mm	DBT6PZ1150
		PZ2	150mm	3.85mm	DBT6PZ2150
		PZ3	150mm	5.50mm	DBT6PZ3150

Slotted Impact Insert Bits

	Tip Size	Tip Size (TxD)	mm	D	Part Number	
	 	SL3	3.0X0.5mm	25mm	3.65mm	DBT6SL300525
		SL4	4.0X0.5mm	25mm	3.65mm	DBT6SL400525
		SL4.5	4.5x0.6mm	25mm	3.85mm	DBT6SL450625
		SL5	5.0x0.9mm	25mm	3.85mm	DBT6SL500925
		SL5.5	5.5x1.0mm	25mm	4.50mm	DBT6SL551025
		SL6	6.0x1.0mm	25mm	4.80mm	DBT6SL601025
		SL6.5	6.5x1.2mm	25mm	5.00mm	DBT6SL651225
	 	SL3	3.0x0.5mm	50mm	3.65mm	DBT6SL300550
		SL4	4.0x0.5mm	50mm	3.65mm	DBT6SL400550
		SL4.5	4.5x0.6mm	50mm	3.85mm	DBT6SL450650
		SL5	5.5x0.9mm	50mm	3.85mm	DBT6SL550950
		SL5.5	5.5x1.0mm	50mm	4.50mm	DBT6SL551050
		SL6	6.0x1.0mm	50mm	4.80mm	DBT6SL601050
		SL6.5	6.5x1.2mm	50mm	5.00mm	DBT6SL651250
	 	SL3	3.0x0.5mm	75mm	3.65mm	DBT6SL300575
		SL4	4.0x0.5mm	75mm	3.65mm	DBT6SL400575
		SL4.5	4.5x0.6mm	75mm	3.85mm	DBT6SL450675
		SL5	5.5x0.9mm	75mm	3.85mm	DBT6SL550975
		SL5.5	5.5x1.0mm	75mm	4.50mm	DBT6SL551075
		SL6	6.0x1.0mm	75mm	4.80mm	DBT6SL601075
		SL6.5	6.5x1.2mm	75mm	5.00mm	DBT6SL651275













Slotted Impact Insert Bits



		Tip Size	Tip Size (TxD)	←mm→	D	Part Number
	 	SL3	3.0x0.5mm	90mm	3.65mm	DBT6SL300590
		SL4	4.0x0.5mm	90mm	3.65mm	DBT6SL400590
		SL4.5	4.5x0.6mm	90mm	3.85mm	DBT6SL450690
		SL5	5.0x0.9mm	90mm	3.85mm	DBT6SL500990
		SL5.5	5.5x1.0mm	90mm	4.50mm	DBT6SL551090
		SL6	6.0x1.0mm	90mm	4.80mm	DBT6SL601090
		SL6.5	6.5x1.2mm	90mm	5.00mm	DBT6SL651290
	 	SL3	3.0x0.5mm	150mm	3.65mm	DBT6SL3005150
		SL4	4.0x0.5mm	150mm	3.65mm	DBT6SL4005150
		SL4.5	4.5x0.6mm	150mm	3.85mm	DBT6SL4506150
		SL5	5.0x0.9mm	150mm	3.85mm	DBT6SL5009150
		SL5.5	5.5x1.0mm	150mm	4.50mm	DBT6SL5510150
		SL6	6.0x1.0mm	150mm	4.80mm	DBT6SL6010150
		SL6.5	6.5x1.2mm	150mm	5.00mm	DBT6SL6512150





Square Impact Insert Bit



	Tip Size	mm	D	Part Number	
	 	SQ0	25mm	3.65mm	DBT6SQ025
		SQ1	25mm	3.65mm	DBT6SQ125
		SQ2	25mm	4.00mm	DBT6SQ225
		SQ3	25mm	5.00mm	DBT6SQ325
	 	SQ0	50mm	3.65mm	DBT6SQ050
		SQ1	50mm	3.65mm	DBT6SQ150
		SQ2	50mm	4.00mm	DBT6SQ250
		SQ3	50mm	5.00mm	DBT6SQ350
	 	SQ0	75mm	3.65mm	DBT6SQ075
		SQ1	75mm	3.65mm	DBT6SQ175
		SQ2	75mm	4.00mm	DBT6SQ275
		SQ3	75mm	5.00mm	DBT6SQ375
	 	SQ0	90mm	3.65mm	DBT6SQ090
		SQ1	90mm	3.65mm	DBT6SQ190










Square Impact Insert Bit



	Tip Size	mm	D	Part Number
	SQ2	90mm	4.00mm	DBT6SQ290
	SQ3	90mm	5.00mm	DBT6SQ390
	  SQ0	150mm	3.65mm	DBT6SQ0150
	SQ1	150mm	3.65mm	DBT6SQ1150
	SQ2	150mm	4.00mm	DBT6SQ2150
	SQ3	150mm	5.00mm	DBT6SQ3150

Torx Impact Insert Bits



	Tip Size	mm	D	Part Number
	  T10	25mm	3.65mm	DBT6T1025
	T15	25mm	3.65mm	DBT6T1525
	T20	25mm	3.65mm	DBT6T2025
	T25	25mm	4.00mm	DBT6T2525
	T27	25mm	4.06mm	DBT6T2725
	T30	25mm	5.00mm	DBT6T3025
	T40	25mm	6.00mm	DBT6T4025
	  T10	50mm	3.65mm	DBT6T1050
	T15	50mm	3.65mm	DBT6T1550
	T20	50mm	3.65mm	DBT6T2050
	T25	50mm	4.00mm	DBT6T2550
	T27	50mm	4.06mm	DBT6T2750
	T30	50mm	5.00mm	DBT6T3050
	T40	50mm	6.00mm	DBT6T4050
	  T10	75mm	3.65mm	DBT6T1075
	T15	75mm	3.65mm	DBT6T1575
	T20	75mm	3.65mm	DBT6T2075
	T25	75mm	4.00mm	DBT6T2575
	T27	75mm	4.06mm	DBT6T2775
	T30	75mm	5.00mm	DBT6T3075
	T40	75mm	6.00mm	DBT6T4075

Torx Impact Insert Bits



 	Tip Size	mm	D	Part Number
	T10	90mm	3.65mm	DBT6T1090
	T15	90mm	3.65mm	DBT6T1590
	T20	90mm	3.65mm	DBT6T2090
	T25	90mm	4.00mm	DBT6T2590
	T27	90mm	4.06mm	DBT6T2790
	T30	90mm	5.00mm	DBT6T3090
	T40	90mm	6.00mm	DBT6T4090



 	Tip Size	mm	D	Part Number
	T10	150mm	3.65mm	DBT6T10150
	T15	150mm	3.65mm	DBT6T15150
	T20	150mm	3.65mm	DBT6T20150
	T25	150mm	4.00mm	DBT6T25150
	T27	150mm	4.06mm	DBT6T27150
	T30	150mm	5.00mm	DBT6T30150
	T40	150mm	6.00mm	DBT6T40150

Hex Impact Insert Bits






 	Tip Size	mm	D	Part Number
	H1.5	25mm	3.65mm	DBT6H1525
	H2	25mm	3.65mm	DBT6H2025
	H2.5	25mm	3.65mm	DBT6H2525
	H3	25mm	3.65mm	DBT6H3025
	H4	25mm	3.80mm	DBT6H4025
	H5	25mm	4.80mm	DBT6H5025
	H6	25mm	5.80mm	DBT6H6025



 	Tip Size	mm	D	Part Number
	H1.5	50mm	3.65mm	DBT6H1550
	H2	50mm	3.65mm	DBT6H2050
	H2.5	50mm	3.65mm	DBT6H2550
	H3	50mm	3.65mm	DBT6H3050
	H4	50mm	3.80mm	DBT6H4050
	H5	50mm	4.80mm	DBT6H5050
	H6	50mm	5.80mm	DBT6H6050

Hex Impact Insert Bits



	Tip Size	mm	D	Part Number
		75mm	3.65mm	DBT6H1575
	H2	75mm	3.65mm	DBT6H2075
	H2.5	75mm	3.65mm	DBT6H2575
	H3	75mm	3.65mm	DBT6H3075
	H4	75mm	3.80mm	DBT6H4075
	H5	75mm	4.80mm	DBT6H5075
	H6	75mm	5.80mm	DBT6H6075
		90mm	3.65mm	DBT6H1590
	H2	90mm	3.65mm	DBT6H2090
	H2.5	90mm	3.65mm	DBT6H2590
	H3	90mm	3.65mm	DBT6H3090
	H4	90mm	3.80mm	DBT6H4090
	H5	90mm	4.80mm	DBT6H5090
	H6	90mm	5.80mm	DBT6H6090
		150mm	3.65mm	DBT6H20150
	H2.5	150mm	3.65mm	DBT6H25150
	H3	150mm	3.65mm	DBT6H30150
	H4	150mm	3.80mm	DBT6H40150
	H5	150mm	4.80mm	DBT6H50150
	H6	150mm	5.80mm	DBT6H60150





ANTI-SLIP BITS

Anti-slip bits solve the problem of screw slipping and falling during tightening and loosening, effectively reducing the damage to the working surface and the scrapping of working parts caused by work errors. These bits can adapt to angled working environments and reduce the difficulty of disassembly and assembly.




Structural features and advantages:

1. The improved cross fastening system has added the "anti slip ACR @" technology, which has a cross groove and anti slip structure;
2. Suitable for working environments with inclined angles;
3. Reduce scratches on the working surfaces of tools and disassembly components;
4. Reduce the fatigue of workers, lower the scrap rate of assembly line disassembly and assembly, and improve work efficiency.

Application area: automobile maintenance, electronics, industrial, and construction industries, etc.

Anti-slip Bits




	Tip Size	mm	D	Part Number
	PH1	25mm	6.00mm	ABS6PH125
	PH2	25mm	6.00mm	ABS6PH225
	PH3	25mm	6.00mm	ABS6PH325
	PH1	50mm	6.00mm	ABS6PH150
	PH2	50mm	6.00mm	ABS6PH250
	PH3	50mm	6.00mm	ABS6PH350
	PH1	70mm	6.00mm	ABS6PH170
	PH2	70mm	6.00mm	ABS6PH270
	PH3	70mm	6.00mm	ABS6PH370
	PH1	100mm	6.00mm	ABS6PH1100
	PH2	100mm	6.00mm	ABS6PH2100
	PH3	100mm	6.00mm	ABS6PH3100
	PH1	150mm	6.00mm	ABS6PH1150
	PH2	150mm	6.00mm	ABS6PH2150

Anti-slip Bits



	Tip Size	mm	D	Part Number
	PZ1	25mm	6.00mm	ABS6PZ125
	PZ2	25mm	6.00mm	ABS6PZ225
	PZ3	25mm	6.00mm	ABS6PZ325
	PZ1	50mm	6.00mm	ABS6PZ150
	PZ2	50mm	6.00mm	ABS6PZ250
	PZ3	50mm	6.00mm	ABS6PZ350
	PZ1	70mm	6.00mm	ABS6PZ170
	PZ2	70mm	6.00mm	ABS6PZ270
	PZ3	70mm	6.00mm	ABS6PZ370



DOUBLE-END DRIVER BITS

TOOLJOY® Double-end driver bits are widely applied in construction jobsite circumstances:

- 2 major raw material options: ordinary S2 steel or Taiwan S2 steel
- CNC precision milling for tight grip and cam-out prevention
- Variety of surface treatment options: sandblasted, Manganese Phosphate, TiN coating, Mirror Finish, Cr-plating, Vintage Bronze, etc.

Double-End Phillips Bit



	Tip Size	mm	Part Number
	PH1	50mm	DBD6PH150
	PH2	50mm	DBD6PH250
	PH1	65mm	DBD6PH165
	PH2	65mm	DBD6PH265
	PH2	100mm	DBD6PH2100
	PH2	150mm	DBD6PH2150
	PH2	200mm	DBD6PH2200
	PH2	250mm	DBD6PH2250
	PH2	300mm	DBD6PH2300

Double-end Phillips Driver Bit



	Tip Size	mm	Part Number
	PH2	65mm	DBDT6PH265
	PH2	100mm	DBDT6PH2100

Pozi Double Ended Power Bit



	Tip Size	mm	Part Number
	PZ2	65mm	DBD6PZ265
	PZ2	100mm	DBD6PZ2100

Phillips & Slotted Double Ended Power Bit



	Tip Size	mm	Part Number
	PH2-SL6	65mm	DBD6PH2SL665
	PH2-SL6	100mm	DBD6PH2SL6100

Phillips & Slotted Double Ended Power Bit



	Tip Size	mm	Part Number
	PH2-SL6	65mm	DBD6PH2SL665-1
	PH2-SL6	100mm	DBD6PH2SL6100-1

Phillips Impact Double Ended Short



	Tip Size	mm	Part Number
	PH2	65mm	DBDS6PH265
	PH2	100mm	DBDS6PH2100
	PH2	150mm	DBDS6PH2150


Phillips Impact Double Ended Impact Bit



	Tip Size	mm	Part Number
	PH2	65mm	DBDT6PH265-1
	PH2	100mm	DBDT6PH2100-1
	PH2	150mm	DBDT6PH2150-1


Phillips Double-Ended Impact Bits



	Tip Size	mm	Part Number
	PH2	65mm	DBDST6PH265-2
	PH2	110mm	DBDST6PH2110-2


Phillips & Slotted Double-Ended Impact Bits



	Tip Size	mm	Part Number
	PH2-SL6	65mm	DBDST6PH2SL665

Phillips&Square Double-End Impact Power Bit



	Tip Size	mm	Part Number
	PH2-SQ2	150mm	DBDST6PH2SQ2150



SINGLE-END DRIVER BITS






1. Taiwan S2 tool steel undergoes special heat treatment processing, with high torque output.
2. Used in conjunction with manual and electric screwdrivers.
3. CNC machining of the head results in better fullness and more accurate shape. Reduce head wear during high-intensity fastening operations.
4. The recessed shank makes screw head visible. It's optimum to the fastening application in a narrow space.

TOOLJOY Insert Bits are manufactured using a proprietary steel and heat treat process that yields greater strength and a longer bit life.

Application area: the product is widely used in assembly lines, equipment maintenance, building, home decoration and other fields.

Phillips Insert & Power Bits



	Tip Size	mm	D	Part Number
	PH0	25mm	4.00mm	DBS6PH025
	PH1	25mm	5.00mm	DBS6PH125
	PH2	25mm	6.00mm	DBS6PH225
	PH3	25mm	6.00mm	DBS6PH325
	PH4	25mm	/	DBS6PH425
	PH0	50mm	4.00mm	DBS6PH050
	PH1	50mm	5.00mm	DBS6PH150
	PH2	50mm	6.00mm	DBS6PH250
	PH3	50mm	6.00mm	DBS6PH350
	PH1	75mm	5.00mm	DBS6PH175
	PH2	75mm	6.00mm	DBS6PH275
	PH3	75mm	6.00mm	DBS6PH375
	PH1	100mm	5.00mm	DBS6PH1100
	PH2	100mm	6.00mm	DBS6PH2100
	PH3	100mm	6.00mm	DBS6PH3100
	PH1	150mm	5.00mm	DBS6PH1150
	PH2	150mm	6.00mm	DBS6PH2150




Pozidriv Insert & Power Bits



	Tip Size	mm	D	Part Number
	PZ0	25mm	4.00mm	DBS6PZ025
	PZ1	25mm	5.00mm	DBS6PZ125
	PZ2	25mm	6.00mm	DBS6PZ225
	PZ3	25mm	6.00mm	DBS6PZ325
	PZ4	25mm	/	DBS6PZ425
	PZ1	50mm	5.00mm	DBS6PZ150
	PZ2	50mm	6.00mm	DBS6PZ250
	PZ3	50mm	6.00mm	DBS6PZ350
	PZ1	75mm	5.00mm	DBS6PZ175
	PZ2	75mm	6.00mm	DBS6PZ275
	PZ3	75mm	6.00mm	DBS6PZ375



Slotted Insert & Power Bits



	Tip Size	Tip Size (TxD)	mm	D	Part Number
	SL3	3.0X0.5mm	25mm	3.00mm	DBS6SL300525
	SL4	4.0X0.5mm	25mm	4.00mm	DBS6SL400525
	SL4.5	4.5x0.6mm	25mm	4.50mm	DBS6SL450625
	SL5.5	5.5x0.8mm	25mm	5.50mm	DBS6SL550825
	SL6.5	6.5x1.2mm	25mm	6.50mm	DBS6SL651225
	SL7	7.0x1.2mm	25mm	/	DBS6SL701225
	SL3	3.0X0.5mm	50mm	3.00mm	DBS6SL300550
	SL4	4.0X0.5mm	50mm	4.00mm	DBS6SL400550
	SL4.5	4.5x0.6mm	50mm	4.50mm	DBS6SL450650
	SL5.5	5.5x0.8mm	50mm	5.50mm	DBS6SL550850
	SL6.5	6.5x1.2mm	50mm	6.50mm	DBS6SL651250
	SL7	7.0x1.2mm	50mm	/	DBS6SL701250
	SL3	3.0X0.5mm	100mm	3.00mm	DBS6SL3005100
	SL4	4.0X0.5mm	100mm	4.00mm	DBS6SL4005100
	SL4.5	4.5x0.6mm	100mm	4.50mm	DBS6SL4506100
	SL5.5	5.5x0.8mm	100mm	5.50mm	DBS6SL5508100
	SL6.5	6.5x1.2mm	100mm	6.50mm	DBS6SL6512100
	SL7	7.0x1.2mm	100mm	/	DBS6SL6512100

Square Insert & Power Bits



	Tip Size	mm	D	Part Number
	SQ0	25mm	3.50mm	DBS6SQ025
	SQ1	25mm	4.00mm	DBS6SQ125
	SQ2	25mm	5.00mm	DBS6SQ225
	SQ3	25mm	6.00mm	DBS6SQ325
	SQ0	50mm	3.50mm	DBS6SQ050
	SQ1	50mm	4.00mm	DBS6SQ150
	SQ2	50mm	5.00mm	DBS6SQ250
	SQ3	50mm	6.00mm	DBS6SQ350

Torx Insert Bits




	Tip Size	mm	D	Part Number
	T8	25mm	3.00mm	DBS6T825
	T9	25mm	3.50mm	DBS6T925
	T10	25mm	3.50mm	DBS6T1025
	T15	25mm	4.00mm	DBS6T1525
	T20	25mm	4.50mm	DBS6T2025
	T25	25mm	5.00mm	DBS6T2525
	T27	25mm	5.50mm	DBT6T2725
	T30	25mm	6.00mm	DBS6T3025
	T40	25mm	/	DBS6T4025
	T10	50mm	3.50mm	DBS6T1050
	T15	50mm	4.00mm	DBS6T1550
	T20	50mm	4.50mm	DBS6T2050
	T25	50mm	5.00mm	DBS6T2550
	T27	50mm	5.50mm	DBS6T2750
	T30	50mm	6.00mm	DBS6T3050

Tamper TORX Bits



	Tip Size	mm	D	Part Number
	T8	25mm	3.00mm	DTS6T825
	T9	25mm	3.50mm	DTS6T925
	T10	25mm	3.50mm	DTS6T1025
	T15	25mm	4.00mm	DTS6T1525
	T20	25mm	4.50mm	DTS6T2025
	T25	25mm	5.00mm	DTS6T2525
	T27	25mm	5.50mm	DTS6T2725
	T30	25mm	6.00mm	DTS6T3025
	T40	25mm	/	DTS6T4025
	T10	50mm	3.50mm	DBS6T1050
	T15	50mm	4.00mm	DBS6T1550
	T20	50mm	4.50mm	DBS6T2050
	T25	50mm	5.00mm	DBS6T2550
	T27	50mm	5.50mm	DBS6T2750
	T30	50mm	6.00mm	DBS6T3050

Torx Power Bits



Tip Size

mm

Part Number

T10

50mm

DIS6T1050

T15

50mm

DIS6T1550

T20

50mm

DIS6T2050

T25

50mm

DIS6T2550

T27

50mm

DIS6T2750

T30

50mm

DIS6T3050

T40

50mm

DIS6T4050

Hex Power Bits



Tip Size

mm

Part Number

H1.5

50mm

DIS6H1550

H2

50mm

DIS6H2050

H2.5

50mm

DIS6H2550

H3

50mm

DIS6H3050

H4

50mm

DIS6H4050

H5

50mm

DIS6H5050

H6

50mm

DIS6H6050

Hex Insert & Power Bits



Tip Size

mm

D

Part Number

H1.50

25mm

2.50mm

DBS6H1525

H2.00

25mm

3.00mm

DBS6H2025

H2.50

25mm

3.50mm

DBS6H2525

H3.00

25mm

4.00mm

DBS6H3025

H4.00

25mm

5.00mm

DBS6H4025

H5.00

25mm

6.00mm

DBS6H5025

H6.00

25mm

/

DBS6H6025

H2.00

50mm

3.00mm

DBS6H2050

H2.50

50mm

3.50mm

DBS6H2550

H3.00

50mm

4.00mm

DBS6H3050

H4.00

50mm

5.00mm

DBS6H4050

H5.00

50mm

6.00mm

DBS6H5050


Phillips Power Bits



	Tip Size	mm	Part Number
	PH0	50mm	DIS6PH050
	PH1	50mm	DIS6PH150
	PH2	50mm	DIS6PH250
	PH3	50mm	DIS6PH350
	PH1	75mm	DIS6PH175
	PH2	75mm	DIS6PH275
	PH3	75mm	DIS6PH375
	PH1	100mm	DIS6PH1100
	PH2	100mm	DIS6PH2100
	PH3	100mm	DIS6PH3100


Slotted Power Bits



	Tip Size	Tip Size (TxD)	mm	Part Number
	SL3	3.0X0.5mm	50mm	DIS6SL300550
	SL4	4.0X0.5mm	50mm	DIS6SL400550
	SL4.5	4.5x0.6mm	50mm	DIS6SL450650
	SL5.5	5.5x0.8mm	50mm	DIS6SL550850
	SL6.5	6.5x1.2mm	50mm	DIS6SL651250
	SL7	7.0x1.2mm	50mm	DIS6SL701250

Square Power Bits



	Tip Size	mm	Part Number
	SQ0	50mm	DIS6SQ050
	SQ1	50mm	DIS6SQ150
	SQ2	50mm	DIS6SQ250
	SQ3	50mm	DIS6SQ350



BIT HOLDERS

Wide range of bit holders for different applications:

- Drive sizes available in 1/4", 3/8" and 1/2" etc.
- Maximum length of bit holder extension: 12"(300mm)
- Variety of retention options:

Magnetic, Non-magnetic, Quick-Release, Screw Cap, etc.

Impact Duty Magnetic Bit Holders



	Size	mm	Part Number
	1/4"Hex	60mm	IMBH660


Impact Duty Magnetic Bit Holders



	Size	mm	Part Number
	1/4"Hex	60mm	IMBH660-1


Stainless steel All-in-one magnetic bit holder



	Size	mm	Part Number
	1/4"Hex	60mm	SMBH660


SCREW GUIDE



	Size	mm	Part Number
	1/4"Hex	80mm	RMBH680
	1/4"Hex	120mm	RMBH6120
	1/4"Hex	140mm	RMBH6140

Key Ring Magnetic Bit Holders



	Size	mm	Part Number
	1/4"Hex	39mm	RMBH639

Socket Adaptor To Suit SDS+Drill



Size

mm

Part Number

1/4"Dr.

65mm

ASB1465

3/8"Dr.

65mm

ASB3865

1/2"Dr.

72mm

ASB1272

Power Socket Adaptor Ball Type



Size

mm

Part Number

1/4"Dr.

25mm

ASB1425

1/4"Dr.

50mm

ASB1450

1/4"Dr.

65mm

ASB1465

1/4"Dr.

100mm

ASB14100

1/4"Dr.

150mm

ASB14150

3/8"Dr.

65mm

ASB3865

1/2"Dr.

75mm

ASB1275

3pcs Power Socket Adaptor Set



Adaptor: 1/4"Dr.(65mm), 3/8"Dr.(65mm), 1/2"Dr.(73mm)



Packaging/Set

N.W

G.W

3PCS

0.1KG

0.15KG

3pcs Power Socket Adaptor Set



Adaptor: 1/4"Dr.(50mm), 3/8"Dr.(50mm), 1/2"Dr.(50mm)



Packaging/Set

N.W

G.W

3PCS

0.1KG

0.15KG

All-in-one Magnetic Bit Holder



	Size	mm	Part Number
	1/4"Hex	75mm	BH675-1



All-in-one Magnetic Bit Holder



	Size	mm	Part Number
	1/4"Hex	60mm	ABH660


Magnetic Bit Holder



	Size	mm	Part Number
	1/4"Hex	60mm	BH660
	1/4"Hex	65mm	BH665
	1/4"Hex	75mm	BH675
	1/4"Hex	100mm	BH6100
	1/4"Hex	150mm	BH6150

Q/Release Stainless Magnetic Bit Holder



	Size	mm	Part Number
	1/4"Hex	60mm	QBH660
	1/4"Hex	65mm	QBH665
	1/4"Hex	100mm	QBH6100
	1/4"Hex	150mm	QBH6150

Q/Release Stainless Magnetic Bit Holder



Size

mm

Part Number

1/4"Hex

60mm

QBH660

1/4"Hex

65mm

QBH665

1/4"Hex

100mm

QBH6100

1/4"Hex

150mm

QBH6150

Flexible Bit Holder



Size

mm

Part Number

1/4"Hex

295mm

BHL295

300mm Long Flexible Bit Holder



Size

mm

Part Number

1/4"Hex

300mm

BHL300-1

Universal Magnetic Bit Holder



Size

mm

Part Number

1/4"Hex

88mm

ODBH88

1/4"Hex

145mm

ODBH145

Stainless Mag Bit Holder With Adjustable Mag Cap



Size

mm

Part Number

1/4"Hex

60mm

BHA60

1/4"Hex

100mm

BHA100

1/4"Hex

150mm

BHA150

TOOLJOY®



BIT SET

Connectable accessory storage system to optimize storage space of the screwdriver bits set. Patented bit bar design of TOOLJOY bit set allows easy removal of bits and customizable placement. Clear lid of the driver bit set allows you to easily see contents at glance. Clip latch for secure closing. Small Bulk Storage size fits inside the Small and Medium ToughCase+ (sold separately) Ideal for organizing loose bits. Used in conjunction with impact drills, it is mostly used in high-intensity operations such as industrial assembly lines, construction industry, home decoration, and facility maintenance

PART NO. TJTDW0115

15pcs Countersink&Wood Plug Cutter

- ▶ 5pcs Countersink Drills
#4,#6,#8,#10,#12
- ▶ 2pcs Replacement Drills
#4, #6
- ▶ 2pcs Screwdriver Bits
Phillips:PH1, PH2
- ▶ 2pcs Wood Plug cutters
12.7mm,9.5mm
- ▶ 2pcs Depth stop Rings
12.7mm,9.5mm
- ▶ 1pc Allen key
- ▶ 1pc Extension Bit Shaft

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/30	12.50/13.70

PART NO. TJTDW0037

37pcs Screwdriver Bit Set

- ▶ 24pcs 25mm Bits:
Phillips: PH1x2,PH2x4,PH3x2
Square: SQ1x2,SQ2x4,SQ3x2
Torx:T15x2,T20x2
Slot: SL6x2,SL7x2
- ▶ 8pcs 50mm Bits:
Phillips:PH2x2
Square: SQ2x3
Torx: T20*2
- ▶ 3pcs 3pcs Magnetic Nut Driver 48MM:6/8/10
- ▶ 1pc 3/8x50mm Socket Adapter
- ▶ 1pc 1/4x60mm Magnetic Bit Holder

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/20	14.1/13.1

PART NO. TJTDW0039

39pcs Screwdriver Bit Set

- ▶ 24pcs 25mm Bits:
Phillips: PH1x2,PH2x3,PH3x2
Pozi: PZ2,PZ3
Torx: T15,T20,T30,T40,
Hex: H3,H4,H5,H6,
Slot: SL4,SL5x2,SL6x3,SL7
- ▶ 10pcs 50mm Bits:
Pozi: PZ1,PZ2
Phillips: PH1,PH2x2,PH3
Square: SQ1,SQ2x2,SQ3
- ▶ 1pc 1pcs 70mm Bits: PZ2
- ▶ 1pc 90mm Bits: PH2
- ▶ 1pc 1/4x60mm Quick Release Bit Holder
- ▶ 2pcs 75mm Bits: PH2x2

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	52*28*28	10/20	14.5 / 13.5





28pcs Socket & Bit Tool Sets

- ▶ 20pcs 25mm Bits:
 - Slotted: 4mm, 6mm
 - Phillips: PH1, PH2, PH3
 - Pozi: PZ1, PZ2, PZ3
 - Torx: T10, T15, T20, T25, T30
 - Torx-Proof: T10, T15, T20, T25, T30,
 - Hex: H3, H4
- ▶ 6pcs Socket: 5, 6, 8, 10, 12, 13mm
- ▶ 1pc Adapter 25mm, Crv
- ▶ 1pc Quick Release Bit Holder

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
with Shrink	41.6*23.6*33.2	10/40	14.8/13.8

PART NO. TJBX023

23pc Screwdriver Bit & Nut Driver Set

- ▶ 14pc 25mm Bits:
 - Phillips: PH1, PH2, PH3
 - Slotted: 3mm, 4mm, 5mm, 6mm
 - Pozi: PZ1, PZ2, PZ3
 - Torx: T10, T15, T20, T25
- ▶ 4pc 50mm Bits:
 - Phillips: PH1, PH2
 - Slotted: 5mm, 6mm
- ▶ 4pc Nut Driver: 6mm, 8mm, 10mm, 12mm
- ▶ 1pc 1pcs 60mm Magnetic Bit Holder

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	41.6*23.6*33.2	10/40	11/10



PART NO. TJBT0056

56pcs Screwdriver Bit Set

- ▶ 48pcs 25mm Screwdriver Bit:
 - Phillips: PH1x3, PH2x3, PH3x3
 - Pozi: PZ1x3, PZ2x3, PZ3x3
 - Slotted: 4mmx2, 5mmx2, 6mmx2
 - Hex: 3mm, 4mm, 5mm
 - Torx: T10x2, T15x2, T20x2, T25x2, T27x2, T30x2, T40x2
 - Torx Tamperproof: T10, T15, T20, T25, T27, T30, T40
- ▶ 7pcs 75mm Screwdriver Bit:
 - Phillips: PH2, PH3,
 - Pozi: PZ1, PZ2,
 - Torx: T20, T25,
 - Slotted: 6mm
- ▶ 1pc Quick Release Bit Holder

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	41.6*23.6*33.2	10/40	14.8/13.8



PART NO. TJBX032

32pc Screwdriver Bit Set

- ▶ 30pc 25mm Bits :
Slotted :3mm,4mm,5mm,6mm;
Phillips:PH0,PH1,PH2,PH3;
Pozi: PZ0,PZ1,PZ2,PZ3;
Torx:T10,T15,T20,T25,T27,T30,T40;
Torx-Proof: T10,T15,T20,T25,T27,T30,T40;
Hex:3mm,4mm,5mm,6mm;
- ▶ 1pc 25mm Adaptor
- ▶ 1pc Quick Release Bit Holder

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	41.6*23.6*33.2	10/40	13/12

PART NO. TJBX015

15pc Screwdriver Bit Set

- ▶ 7pc 25mm Bits:
Slotted :6mm;
Phillips:PH1,PH2;
Pozi:PZ1,PZ2;
Torx :T15,T20,
- ▶ 7pc 50mm Bits:
Phillips: Ph1,Ph2
Torx:T20 T25,T30
Hex: H3,H4,
- ▶ 1pc Magnetic Bit Holder

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	41.6*23.6*33.2	10/40	11/10

PART NO. TJBX019

19pc Screwdriver Bit Set

- ▶ 12pc 25mm Bits:
Slotted : 4mm,6mm;
Phillips: PH1,PH2 ;
Pozi: PZ1,PZ2 ;
Torx:T15,T20 ;
Torx-Proof: T15,T20,
Hex:3mm,4mm;
- ▶ 6pc 50mm Bits :
Slotted : 4mm,6mm;
Phillips: PH2 ;
Pozi: PZ2;
Torx:T15,T20 ;
- ▶ 1pc Quick Release Bit Holder

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	41.6*23.6*33.2	10/40	12.6/11.6

PART NO. TJTDW0030
30pcs Screwdriver Bit Set

- ▶ 17pcs 25mm Bits:
Pozi:PZ2x7,PZ3,PH2,PH1
Torx:T20x2,T25x2,T30x2
Slotted:SL6x1
- ▶ 8pcs 50mm Bits:
Phillips:PH1,PH2x2,PZ3
Pozi:PZ1,PZ2x2,PZ3
- ▶ 3pcs 90mm Bits:
Phillips:PH2
Pozi:PZ2
Torx:T20
- ▶ 1pc 80mm SCREW GUIDE
- ▶ 1pc Sockets 48mm:10mm

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/20	14.1/13.1


PART NO. TJTDW0041
41pcs Screwdriver Bit Set

- ▶ 25pcs 25mm Bits:
Phillips:PH1,PH2x2,PH3
Pozi:PZ1,PZ2,PZ3
Torx:T10x2,T15x3,T20x5,T25x4,
T27,T30,T20 Security,T25 Security
- ▶ 13pcs 50mm Bits:
Phillips:PH2x2
Pozi:PZ2x2
Torx:T15x2,T20x3,T25x3, T30
- ▶ 2pcs 90mm Bits:
Torx:T20,T25
- ▶ 1pc 80mm SCREW GUIDE

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	52*28*28	10/20	14.5 / 13.5


PART NO. TJTDW0033
33pcs Screwdriver Bit Set

- ▶ 9pcs 25mm Bits:
Phillips:PH2x2,PH3
Pozi:PZ1,PZ2x2,PZ3
Torx:T20,T25
- ▶ 23pcs 50mm Bits:
Phillips:PH1,PH2x2PH3
Pozi:PZ1,PZ2x2,PZ3
Torx:T10x2,T15x3,T20x3,T25x3,
T27,T30x2,T40
- ▶ 1pc 60mm Magnetic Bit Holder

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/20	12.1/11.1





PART NO. TJDW37S

37pcs Screwdriver Bit Set

- ▶ 16pcs 25mm Bits:
Phillips: PH1, PH2x6, PH3
Slotted: SL6,
Torx: T20, T25x2, T30
Hex: H3, H4, H5
- ▶ 18pcs 50mm Bits:
Phillips: PH1, PH2x4, PH3
Pozi: PZ1, PZ2x2, PZ3
Torx: T10, T15, T20, T25, T30
Square: SQ1, SQ2, SQ3
- ▶ 2pcs 48mm Nut drivers: 6mm, 8mm
- ▶ 1pc 80mm SCREW GUIDE

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/20	12.1/11.1

PART NO. TJDW045

45pcs Screwdriver Bit Set

- ▶ 32pcs 25mm Bits:
Phillips: PH1x2, PH2x6, PH3x2
Slotted: SL3, SL4, SL5, SL6, SL7
Torx: T10, T15, T20, T25, T27, T30, T40
Hex: H3, H4, H5, H6
Pozi: PZ1x2, PZ2x3, PZ3
- ▶ 8pcs 50mm Bits:
Phillips: PH1, PH2x4, PH3
Slotted: SL5, SL6
- ▶ 2pcs 75mm BITS PH2, PH3
- ▶ 2pcs 48mm Nut Drivers: 8mm, 10mm
- ▶ 1pc 80mm SCREW GUIDE



PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/20	12.1/11.1

PART NO. TJDW37D

37pcs Screwdriver Bit Set

- ▶ 16pcs 25mm Bits:
Phillips: PH1, PH2x6, PH3
Slotted: SL6,
Torx: T20, T25x2
Hex: H3, H4x2, H5
- ▶ 16pcs 50mm Bits:
Phillips: PH1, PH2x3, PH3
Pozi: PZ1, PZ2, PZ3
Torx: T15, T20, T25
Square: SQ1, SQ2, SQ3
Hex: H4, H5
- ▶ 2pcs 50mm Socket adapters: 1/4, 3/8
- ▶ 2pcs 45mm Nut drivers: 6mm, 8mm
- ▶ 1pc 65mm Magnetic bit holder



PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/20	12.1/11.1


PART NO. TJDW026
26pcs Screwdriver Bit Set

- ▶ 16pcs 25mm Bits:
Phillips: PH1, PH2x2, PH3
Pozi: PZ1, PZ2x2, PZ3
Torx: T10, T15, T20, T25, T30, T40
Slotted: SL5, SL6;
- ▶ 2pcs 50mm Bits:
Phillips: PH2
Torx: T25
- ▶ 5pcs Drill bits: 3mm, 4mm, 5mm, 6mm, 8mm
- ▶ 2pcs 48mm Sockets: 8mm, 10mm
- ▶ 1pc Bit Holder

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/30	12.1/11.1

PART NO. TJDW040
40pcs Impact Duty Screwdriver & Drilling Set

- ▶ 24pcs 25mm Bits:
Phillips: PH1, PH2x3, PH3
Pozi: PZ1, PZ2x3, PZ3
Torx: T10, T15x2, T20x3, T25x3, T30x2, T40
Hex: H4, H5
- ▶ 8pcs 50mm Bits:
Phillips: PH2, PH3
Pozi: PZ2, PZ3
Torx: T20, T25, T30, T40
- ▶ 4pcs 90mm Bits:
Phillips: PH2
Pozi: PZ2
Torx: T20, T25
- ▶ 1pc 80mm SCREW GUIDE
- ▶ 3pc 1/4" Hex Drill bits: $\Phi 3/4/5$ mm



PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/30	12.1/11.1

PART NO. TJDW041
41pcs Screwdriver bit set

- ▶ 25pcs 25mm Bits:
Phillips: PH1, PH2x2, PH3
Pozi: PZ1, PZ2, PZ3
Torx: T10x2, T15x3, T20x5, T25x4, T27, T30, T20 Security, T25 Security
- ▶ 12pcs 50mm Bits:
Phillips: PH2x2
Pozi: PZ2x2
Torx: T15x2, T20x3, T25x3
- ▶ 2pcs 90mm Bits: Torx: T20, T25
- ▶ 1pc 80MM SCREW GUIDE
- ▶ 1pc Bit Holder



PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/30	12.1/11.1



PART NO. TJTDW0141

41pcs Screwdriver Bit Set

- ▶ 25pcs 25mm Bits:
Phillips:PH1, PH2x2, PH3
Pozi: PZ1, PZ2, PZ3
Torx:T10x2, T15x3, T20x5,
T25x4, T27, T30, T20 Security,
T25 Security
- ▶ 13pcs 50mm Bits:
Phillips:PH2x2
Pozi:PZ2x2
Torx:T10,T15x2, T20x3, T25x3
- ▶ 2pcs 90mm Bits:
Torx:T20, T25
- ▶ 1pc 80MM SCREW GUIDE

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*28*28	10/20	14.5/13.5

PART NO. TJTDW0023

23pcs Screwdriver Bit Set

- ▶ 8pcs 25mm Bits:
Torx:T10, T15, T20, T25, T30,
T20 anti-theft screws,T25 Security,
T30 Security
- ▶ 7pcs 50 mm Bits:
Phillips:PH2, PH3
Pozi:PZ2, PZ3
Torx:T15, T20,T25
- ▶ 5pcs 75 mm Bits:
Phillips:PH1, PH2, PH3
Pozi:PZ2, PZ3
- ▶ 2pcs Sockets 48mm: 8mm,10mm
- ▶ 1pc Quick Release Bit Holder

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/20	15.1/14.1



PART NO. TJTDW0018-1

18pcs Screwdriver Bit Set

- ▶ 10pcs 50mm Bits:
Phillips: PH1,PH2, PH3
Pozi:PZ1, PZ2, PZ3
Torx:T15, T20, T25, T30
- ▶ 5pcs Drill bits:3mm, 4mm, 5mm,
6mm, 8mm
- ▶ 2pcs Sockets 48mm: 8mm,10mm
- ▶ 1pc Quick Release Bit Holder

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/20	12.1/11.1



PART NO. TJBTO45
45pcs Screwdriver Bit Set

- ▶ 32pcs 25mm Bits:
Phillips:PH1x2,PH2x3,PH3x2,
PZ1x2,PZ2x3,PZ3x2
Slotted:SL3,SL4,SL5,SL6,SL7,
Hex:H3,H4x2,H5,H6,
Torx:T10,T15,T20,T25,T27,
T30,T35,T40
- ▶ 8pcs 50mm Bits
Phillips:PH2,PH3,
Pozi:PZ2,PZ3
Torx:T20,T25
Slotted:SL5,SL6
- ▶ 2pcs 75mm Bits:PH2,PZ2
- ▶ 2pcs 48MM SOCKET:8MM,10MM
- ▶ 1pc 80mm SCREW GUIDE



PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Color Lable with Shrink	58*18*33	2/30	16.9/15

PART NO. TJDW018
18pcs Impact Duty Drill bit & Driver Bit Set

- ▶ 10pcs 50mm Bits:
Phillips:PH1,PH2,PH3
Pozi: PZ1,PZ2,PZ3
Torx:15,T20,T25,T30
- ▶ 5pcs Drill Bit:
4mm、5mm、6mm、
8mm、10mm (Red)
- ▶ 2pcs 48mm Magnetic Nut Drive:
8mm、10mm
- ▶ 1pc 60mm Quick Release Bit Holder



PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	52*29.5*26	10/20	10.5 / 8.9

PART NO. TJDW24D
24pcs Impact Duty Drill bit & Driver Bit Set

- ▶ 8pcs 25mm Screwdriver Bits:
Phillips:PH1,PH2x2,PH3
Square:SQ2x2
Torx:T20,T25
- ▶ 16pcs HSS Drill Bit:
3mmx3,4mmx3,5mmx5,
6mmx3,8mmx2



PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/20	12.1/11.1

PART NO. TJDW029

29pcs Screwdriver Bit Set

- ▶ 24pcs 25mm Bits:
 - Phillips: PH1,PH2,PH3x2
 - Pozi: PZ0,PZ1,PZ2,PZ3
 - Torx: TT10,TT15,TT20
 - Slot: SL3,SL4,SL5,SL6,SL7
 - Hex:H3,H4,H5,H6,T25,T27,T30,T40
- ▶ 5pcs Drill bit:3mm,4mm,5mm,6mm,8mm

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	53*29.5*28	20	9.25 / 8



PART NO. TJDW017

17pcs Screwdriver Bit Set

- ▶ 16pcs 25mm Bits:
 - Phillips: PH0,PH1,PH2,PH3
 - Pozi: PZ0,PZ1,PZ2,PZ3
 - Torx:T10,T15,T20,T25,T30
 - Slot: SL3,SL4,SL5
- ▶ 1pc Quick release bit holder

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	42*32*41	60	12.02 / 10.36



PART NO. TJDW064

64pcs Drill Bit Set

- ▶ 2pcs Flat drill for woodworking:13,19mm
- ▶ 1pc Magnetic Bit Holder
- ▶ 1pc Countersink
- ▶ 5pcs Three-point wood drill:4mm,5mm,6mm,8mm,10mm
- ▶ 5pcs Construction drill:4mm,5mm,6mm,8mm,10mm
- ▶ 13pcs Titanium plated twist drill:1.5mm,2mm,2.5mm,3mm,3.2mm,3.5mm,4mm,4.5mm,4.8mm,5mm,5.5mm,6mm,6.5mm
- ▶ 32pcs 25mm Bits
- ▶ 5pcs 50mm Bits

MEAS(CM)	GW/NW(KG)	QTY(SET)
35*29*23	10.9	10



PART NO. TJDW101

101pcs Drill bit set

- ▶ 15pcs Titanium plated twist drill HSS4241 drill bits: 1.5,2,2.5,3,3.2,3.5,4,4.5,4.8,5,5.5,6,6.5,7,8MM;
- ▶ 6pcs wood drill bits: 3mm, 4mm, 5mm, 6mm, 8mm,10MM;
- ▶ 3pcs wood spade drill bits: 1/2mm, 5/8mm, 3/4mm;
- ▶ 6pcs YG8 masonry drill bits:3mm, 4mm, 5mm, 6mm, 8mm,10MM
- ▶ 7pcs 50mm Bits:3pcs:SL4mm,SL5mm,SL6mm; 2pcs: PH2,PH3; 2pcs:PZ2,PZ3
- ▶ 48pcs 25mm Bits:3pcs: SL4mm,SL5mm,SL6mm; 9pcs:PH0; PH1x2,PH2x4,PH3x2; 8pcs:PZ1x2,PZ2x4,PZ3x2; 12pcs:T10x2, T15x2,T20x2,T25x2,T27x2,T30x2; 12pcs:H2x2,H2.5x2,H3x2, H4x2,H5x2,H6x2; 4pcs:SQ0,SQ1,SQ2,SQ3 ;
- ▶ 9pcs Nut driver:4MM,5mm,5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm,13mm;
- ▶ 4pcs stopper (5/6/8/10)
- ▶ 1pc Allen key: 2.5MM
- ▶ 1pc Magnetic bits holder
- ▶ 1pc Countersink



MEAS(CM)	GW/NW(KG)	QTY(SET)
40*28*23	13.5	10

PART NO. TJDW057

57pcs Drill Bit Set

- ▶ 5pcs Three-point wood drill:4,5,6,8,10mm
- ▶ 5pcs Construction drill:4,5,6,8,10mm
- ▶ 14pcs Twist drill:1,1.5,2,3,3.2,3.5,4,4.5,5,5.5,6,6.5,7,8mm
- ▶ 9pcs Nut Driver:5,6,7,8,9,10,11,12,13mm
- ▶ 12pcs 25mm Bits: 3pcs CR-V:4,5, 6mm; 3pcs CR-VT:15,20, 25mm; 3pcs CR-VPZ:1,2,3mm; 3pcs CR-VPH:1,2,3mm;
- ▶ 4pcs stopper:5,6,8,10mm
- ▶ 4pcs 50mm Bits:CR-VPH:2,3mm; CR-VPZ:2,3mm
- ▶ 1pc Allen key:2.5mm
- ▶ 1pc Countersink
- ▶ 1pc Bit holder
- ▶ 1pc Handle



MEAS(CM)	GW/NW(KG)	QTY(SET)
43*23*36	14.59	20



PART NO. TH022-01

22pcs Screwdriver Bit Set

- ▶ 20pcs 25mm Bits:
 - Phillips: PH0,PH1,PH2,PH3
 - Pozi: PZ1,PZ2,PZ3
 - Torx: T10,T15,T20,T25,T30,T40
 - Slotted: SL4,SL5,SL6,SL7
 - Hex: H4,H5,H6
- ▶ 1pcs 25mm Socket adapter
- ▶ 1pc 60mm Magnetic bit holder

PART NO. TH033-01

32pcs 25mm bits:

Spanner: 4mm,6mm,8mm,10mm

Y-type: Y1,Y2,Y3,Y4

Torx Plus: TR8,TR10,TR15,TR20,TR25,TR27,TR30,TR35,TR40

Tamper Hex: 2mm,2.5MM,3MM,4MM,5MM,6MM

Torq set: 6mm,8mm,10mm

Tamper hex: 5/64",3/32",7/64",1/8",9/64",5/32"

1pcs 1/4" Magnetic bit holder



PART NO. TH022-03

22pcs Bits Set

- ▶ 20pcs H2,H3, H4
 - PZ1,PZ2x2,PZ3
 - PH1 PH2x2,PH3
 - T10,T15,T20,T25
 - T27,T30,T40
 - SL3,SL4
- ▶ 1pcs 50MMxPH2
- ▶ 1pcs 65mm Bit holder



PART NO. CRT2510T-TH

10pcs 25MM Torsion Bit Set

T10, T15, T20, T25, T27, T30,
T40, PH1, PH2, PH3


PART NO. CRT510T-T

10pcs 50MM Torsion Bit Set

T8, T9, T10, T15, T20, T25,
T27, T30, T35, T40


PART NO. CRT010T-PH2

10pcs 50MM Torsion Bit Set

► 50MM Square bits : PH2x10PCS


PART NO. CRT5010T-TH

5pcs 100MM Impact Bits:

SQ3-PH3 PH1-PH2
T25-SQ2 SQ2-PH2
SQ1-SQ2



PART NO. TJISW0009

9pcs Impact Socket Bits & Set

- ▶ 9pcs 1/2" 78L bits:
T20,T25,T27, T30,T40,
T45,T50,T55,T60

PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Plastic box	28*28*27	10	12/11.6

PART NO. TJISW0035

35pcs Impact Bit Socket Set

- ▶ 20pcs short socket:

8mm, 9mm, 10mm, 11mm, 12mm,
13mm, 14mm, 15mm, 16mm, 17mm,
18mm, 19mm, 20mm, 21mm, 22mm,
23mm, 24mm, 27mm, 30mm, 32mm

- ▶ 15pcs long socket:

10mm, 12mm, 13mm, 14mm, 15mm,
16mm, 17mm, 18mm, 19mm, 21mm,
22mm, 24mm, 27mm, 30mm, 32mm



PART NO. TJISW0040

40pcs Impact Socket Bit Set

- ▶ 7pcs 30mm Torx bits:
Torx: T20,T25,T30,T40,T45,T50,T55
- ▶ 7pcs 75mm Torx bits:
Torx: T20,T25,T30,T40,T45,T50,T55
- ▶ 7pcs 30mm Hex bits:
Hex: H4,H5,H6,H7,H8,H10,H12
- ▶ 7pcs 75mm Hex bits:
Hex: H4,H5,H6,H7,H8,H10,H12
- ▶ 5pcs 30mm Spline bits:
M5,M6,M8,M10,M12
- ▶ 5pcs 75mm Spline bits:
M5,M6,M8,M10,M12
- ▶ 1pcs 10mm 1/2" socket
- ▶ 1pcs 10mm 3/8" socket



PACKING	MEAS(CM)	QTY/CTN(SET)	GW/NW(KG)
Shrink	58*18*33	2/20	12.1/11.1



SCREWDRIVER

1. Chrome plated surface treatment and Working part with black finish for protection against corrosion and gripping strength.
2. Handles are made of Eco-friendly plastic: hard PP core + soft TPR cover; Ergonomic design with easy hand grip and slip-resistance.
3. Premium alloy steel for reliable strength and durability.

Stubby Screwdriver

	Tip Size	D (mm)	Shaft Length	Handle Size	Part Number
	PH2	5mm	38mm	66mm	SDP538PH2
	PH2	6mm	38mm	66mm	SDP638PH2
	PZ2	5mm	38mm	66mm	SDP538PZ2
	PZ2	6mm	38mm	66mm	SDP638PZ2
	SL4	4mm	38mm	66mm	SDP438SL4
	SL5	5mm	38mm	66mm	SDP538SL5
	SL6	6mm	38mm	66mm	SDP638SL6
	1/4	6mm	38mm	66mm	SDP638ND1/4

Phillips Screwdriver



	Tip Size	D (mm)	Shaft Length	Handle Size	Part Number
	PH0	3mm	75mm	90mm	SDP375PH0
	PH1	5mm	75mm	90mm	SDP575PH1
	PH2	5mm	75mm	90mm	SDP575PH2
	PH1	5mm	100mm	101mm	SDP5100PH1
	PH2	6mm	100mm	110mm	SDP6100PH2
	PH3	8mm	150mm	120mm	SDP8150PH3
	PH2	6mm	100mm	108mm	SDP6100PH2

Slot Screwdriver



	Tip Size	D (mm)	Shaft Length	Handle Size	Part Number
	SL3	3mm	75mm	90mm	SDP375SL3
	SL4	4mm	75mm	90mm	SDP475SL4
	SL5	5mm	75mm	90mm	SDP575SL5
	SL5	5mm	100mm	101mm	SDP5100SL5
	SL6	6mm	100mm	110mm	SDP6100SL6
	SL8	8mm	150mm	120mm	SDP8150SL8
	SL6	6mm	100mm	108mm	SDP6100SL6

Pozi Screwdriver



	Tip Size	D (mm)	Shaft Length	Handle Size	Part Number
	PZ0	3mm	75mm	90mm	SDP375PZ0
	PZ1	5mm	75mm	90mm	SDP575PZ1
	PZ2	5mm	75mm	90mm	SDP575PZ2
	PZ1	5mm	100mm	101mm	SDP5100PZ1
	PZ2	6mm	100mm	110mm	SDP6100PZ2
	PZ3	8mm	150mm	120mm	SDP8150PZ3
	PZ2	6mm	100mm	108mm	SDP6100PZ2

Torx Screwdriver



	Tip Size	D (mm)	Shaft Length	Handle Size	Part Number
	T6	3mm	50mm	80mm	SDP350T6
	T7	5mm	50mm	80mm	SDP350T7
	T8	3mm	60mm	80mm	SDP360T8
	T9	3mm	60mm	80mm	SDP360T9
	T10	3mm	80mm	80mm	SDP380T10
	T15	3mm	80mm	90mm	SDP380T15
	T20	5mm	100mm	90mm	SDP5100T20
	T25	5mm	100mm	90mm	SDP5100T25
	T27	6mm	115mm	90mm	SDP6115T27
	T30	6mm	115mm	100mm	SDP6115T30
	T27	6mm	130mm	100mm	SDP6130T27
	T30	6mm	130mm	110mm	SDP6130T30

Nut driver Screwdriver



	Tip Size	D (mm)	Shaft Length	Handle Size	Part Number
	1/4	6mm	75mm	90mm	SDP675ND1/4
	1/4	6mm	100mm	101mm	SDP6100ND1/4
	1/4	6mm	100mm	110mm	SDP6100110ND1/4
	1/4	6mm	100mm	108mm	SDP6100108ND1/4

Mini precision screwdriver



Tip Size	Shaft Length	Handle Size	Part Number
PH1	67mm	69.5mm	MPSPH1
SL2.4	67mm	69.5mm	MPSSL2.4
PH1+SL3.5	67mm	69.5mm	MPSPH1SL3.5

Packing quantity	Carton Size	Weight/CTN
100PCS/CTN	39*37*20cm	14kg

100pcs Screwdriver Set

100pcs Screwdriver Set	Specification/Model	
	Screwdriver	Slotted: 1/8"x3", 5/32"x4", 3/16"x3", 3/16"x4", 1/4"x4", 1/4"x6", 5/16"x6" Phillip: PH0x3", PH1x3", PH1x4", PH1x6", PH2x4", PH2x6" Torx: T8x3X3", T10x3X3", T15x5X3", T20x5X3", T25x6X4", T30x6X4" Square head: S0x4X3", S1x3", S2x4", S3X6x6"
	Ratchet	1pc ratchet
	Electronic Bit	Torx: T6X2" T7X2" T8X2" T10X2" Slotted: 3/32X2" 1/8X2" Phillip: PH00X2" PH0X2"
	Screwdriver Bit	60PCS: Slotted: 1/8, 9/64, 5/32, 11/64, 3/16, 7/32, 1/4, 17/64, 9/32, 5/16 Rice characters: #0 x 2pc, #1 x 2pc, #2 x 3pc, #3 x 3pc Phillip: #0 x 2pc, #1 x 2pc, #2 x 3pc, #3 x 3pc Torx type: T6, T8, 10, 15, 20, 25, 27, 30, 35, 40 Hex type: 1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6, 8, 3/32, 7/64, 1/8, 5/32, 3/16, 1/4 Square head: S0, S1, S2, S3
	Strong Socket	6PCS strong socket: 3/16-1/4-9/32-5/16-11/32-3/8
	Strong Socket	2PC Z-shaped: -3/16-PH1 -1/4-PH2"


Packing quantity	Carton Size	Net Weight/CTN	Gross Weight/CTN	Part Number
4 sets/CTN	57*31*31cm	9.5kg	10.5kg	SDSET100PCSR





THE IMPACT SOCKET BITS

1. Using CR-MO steel, which is a material that is impact-resistant and wear-resistant. The overall structure can bring more stable and reliable torque and a long service life.
 2. Laser marking enhances the recognition of size specifications.
 3. Manganese phosphate surface treatment enhances anti-rust property and corrosion resistance.
- Application area: automobile maintenance, industrial, and construction industries, etc.

1/4Pneumatic Whole Bit T Series




Cr-Mo





Part NO	D	H	R	L
TJT20	Ø14	Ø4.45	Ø2.5	40
TJT25	Ø14	Ø4.45	Ø3	40
TJT27	Ø14	Ø5.10	Ø3.2	40
TJT30	Ø14	Ø5.60	Ø3.5	40
TJT40	Ø14	Ø6.6	Ø4.2	40
TJT45	Ø14	Ø7.9	Ø5	40
TJT50	Ø14	Ø8.9	Ø5.2	40
TJT55	Ø14	Ø11.30	Ø7.5	40
TJT60	Ø14	Ø13.20	Ø9	40

1/4Pneumatic Whole Bit RT Series



Cr-Mo





Part NO	D	H	R	L
TJRT05	Ø14	Ø8	Ø3.2	40
TJRT06	Ø14	Ø8	Ø3.7	40
TJRT07	Ø14	Ø8	Ø4	40
TJRT08	Ø14	Ø8.95	Ø5	40
TJRT09	Ø14	Ø8.95	Ø5.5	40
TJRT10	Ø14	Ø9.85	Ø6.5	40
TJRT11	Ø14	Ø10.8	Ø7.3	40
TJRT12	Ø14	Ø11.85	Ø8	40

1/4Pneumatic Whole Bit H Series



Cr-Mo





Part NO	D	H	R	L
TJH04	Ø14	Ø4.7	Ø3.2	40
TJH05	Ø14	Ø5.7	Ø4.5	40
TJH06	Ø14	Ø7	Ø5.0	40
TJH07	Ø14	Ø8.1	Ø6	40
TJH08	Ø14	Ø9.1	Ø7.0	40
TJH09	Ø14	Ø10.5	Ø8.0	40
TJH10	Ø14	Ø11.5	Ø9.0	40
TJH11	Ø14	Ø12.5	Ø10.0	40
TJH12	Ø14	Ø14	Ø11.0	40

1/4Pneumatic Whole Bit M Series




Cr-Mo




Part NO	D	H	R	L
TJM05	Ø14	Ø4.9	Ø3.5	40
TJM06	Ø14	Ø5.9	Ø5	40
TJM07	Ø14	Ø6.4	Ø5.2	40
TJM08	Ø14	Ø7.1	Ø6	40
TJM09	Ø14	Ø8.8	Ø7	40
TJM10	Ø14	Ø9.5	Ø8	40
TJM11	Ø14	Ø10.35	Ø9	40
TJM12	Ø14	Ø11.35	Ø10	40

3/8Pneumatic Whole Bit M Series





Part NO.	D	H	R	L
TJM05	Ø19	Ø8	Ø3.5	60
TJM06	Ø19	Ø8	Ø5	60
TJM08	Ø19	Ø8	Ø6	60
TJM09	Ø19	Ø8.80	Ø7	60
TJM10	Ø19	Ø9.50	Ø8	60
TJM12	Ø19	Ø11.30	Ø9	60
TJM14	Ø19	Ø12.95	Ø10.5	60

3/8Pneumatic Whole Bit H Series





Part NO.	D	H	R	L
TJH04	Ø19	Ø6	Ø3.6	60
TJH05	Ø19	Ø6	Ø4.5	60
TJH06	Ø19	Ø6.70	Ø5.5	60
TJH07	Ø19	Ø7.90	Ø6	60
TJH08	Ø19	Ø8.90	Ø7	60
TJH10	Ø19	Ø11.30	Ø9.0	60
TJH12	Ø19	Ø13.5	Ø11	60
TJH14	Ø19	Ø15.80	Ø13	60

3/8Pneumatic Whole Bit T Series



Part NO.	D	H	R	L
TJT20	Ø19	Ø6	Ø2.5	60
TJT25	Ø19	Ø6	Ø3	60
TJT30	Ø19	Ø6	Ø3.5	60
TJT40	Ø19	Ø6.60	Ø4.2	60
TJT50	Ø19	Ø8.90	Ø5.2	60
TJT55	Ø19	Ø11.30	Ø7.5	60
TJT60	Ø19	Ø13.20	Ø9	60

3/8Pneumatic Whole Bit RT Series



Part NO.	D	H	R	L
TJRT05	Ø19	Ø8	Ø3	60
TJRT06	Ø19	Ø8	Ø4	60
TJRT07	Ø19	Ø8	Ø4.5	60
TJRT08	Ø19	Ø7.90	Ø5	60
TJRT10	Ø19	Ø9.85	Ø6.5	60
TJRT11	Ø19	Ø10.8	Ø7	60
TJRT12	Ø19	Ø11.85	Ø8	60
TJRT13	Ø19	Ø12.85	Ø8.5	60
TJRT14	Ø19	Ø13.75	Ø9.0	60



NUT SETTERS

Wide range of nut setters for different applications:-3 major raw material options: Cr-V 40ACRsteel, Cr-V 50BV30 steel, or CrMO steel-drive sizes available in 1/4", 3/8" and 1/2" etc.-Maximum length of nut setters: 6"(150mm)-Variety of retention options: Magnetic,Non-magnetic, Color ring, Internal threaded,etc.



Impact-Resistant Magnetic Nut Setter-Metric



Size.	mm	Part Number
5mm	48mm	NSB0548
5.5mm	48mm	NSB5548
6mm	48mm	NSB0648
7mm	48mm	NSB0748
8mm	48mm	NSB0848
9mm	48mm	NSB0948
10mm	48mm	NSB1048
11mm	48mm	NSB1148
12mm	48mm	NSB1248
13mm	48mm	NSB1348
5mm	65mm	NSB1348
6mm	65mm	NSB0665
7mm	65mm	NSB0765
8mm	65mm	NSB0865
9mm	65mm	NSB0965
10mm	65mm	NSB1065
11mm	65mm	NSB1165
12mm	65mm	NSB1265
13mm	65mm	NSB1365
14mm	65mm	NSB1465
6mm	100mm	NSB06100
8mm	100mm	NSB08100
10mm	100mm	NSB10100
6mm	150mm	NSB06150
8mm	150mm	NSB08150
10mm	150mm	NSB10150
6mm	300mm	NSB061300
8mm	300mm	NSB08300
10mm	300mm	NSB10300



Impact-Resistant Magnetic Nut Setter-Imperial



Size.	mm	Part Number
3/16	48mm	NBS031648
7/32	48mm	NBS073248
1/4	48mm	NBS010448
3/19	48mm	NBS093248
5/16	48mm	NBS051648
11/32	48mm	NBS113248
3/8	48mm	NBS030848
7/16	48mm	NBS071648
15/32	48mm	NBS153248
1/2	48mm	NBS010248
3/16	65mm	NBS031665
1/4	65mm	NBS010465
9/32	65mm	NBS093265
5/16	65mm	NBS051665
11/32	65mm	NBS113265
3/8	65mm	NBS030865
7/16	65mm	NBS071665
15/32	65mm	NBS153265
1/2	65mm	NBS010265
9/16	65mm	NBS091665
1/4	100mm	NSB0104100
5/16	100mm	NSB0516100
3/8	100mm	NSB0308100
1/4	150mm	NSB0104150
5/16	150mm	NSB0516150
3/8	150mm	NSB0308150
1/4	150mm	NSB0104300
5/16	300mm	NSB0516300
3/8	300mm	NSB0308300



PRECISION BITS

Rust-proof aluminum alloy screw driver handle, smooth arc edge, feel comfortable.
Surface anodic sandblasting treatment, anti-sweat, anti-corrosion.

All-in-one: Suitable for quartz watch, camera, radio, computer, mobile phone, drone and other common household appliances, to meet the most daily maintenance needs.

High quality steel precision drill: high precision bite, double anti-rust treatment;
Aluminum alloy handle: anodized and special anti-slip treatment.

77pcs Precision Bit Set



PART NO. TJPBS077

- ▶ 67pcs 4.0x28mm
 - 7pcs SL: SL1.0,SL1.5,SL2.0,SL2.5,SL3.0,SL3.5,SL4.0
 - 12pcs PH:PH000,PH00x3,PH0x2,PH1x3,PH2x3
 - 5pcs PZ:PZ000,PZ00,PZ0,PZ1,PZ2
 - 10pcs Hex:H0.7,H0.9,H1.0,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0
 - 10pcs Torx:T3,T4,T5,T6,T7,T8,T9,T10,T15,T20
 - 5pcs Torx tamper:TT8,TT9,TT10,TT15,TT20
 - 5pcs Triangle:1.8,2.0,2.3,2.7,3.0
 - 2pcs Trident:2.0,3.0
 - 2pcs U:2.0,2.6
 - 4pcs Pentagonal:0.8,1.2,1.5,2.0
 - 7pcs Precision Short Nut Driver:2.5,3.0,3.5,4.0,4.5,5.0,5.5
- ▶ 4.0x100 Bit Holder
- ▶ 4.0x125 Bit Holder
- ▶ 1pc Bit Holder Handle

Packing quantity	Carton Size	Weight/CTN
48SET/CTN	45*20*40cm	21kg

56pcs Precision Bit Set



PART NO. TJPBS056

- ▶ 21pcs 6.3x25mm bit
 - 3pcs SL:SL4,SL5,SL6
 - 5pcs PH:PH1,PH2x3,PH3
 - 3pcs PZ:PZ1,PZ2,PZ3
 - 4pcs Hex:H3,H4,H5,H6
 - 6pcs Torx:T10,T15,T20,T25,T30,T40
- ▶ 20pcs 4.0x28mm bit
 - 4pcs SL:SL1.5,SL2,SL2.5,SL3
 - 4pcs PH:PH000,PH00,PH0,PH1
 - 5pcs Hex:H1.5,H2,H2.5,H3,H4
 - 7pcs Torx:T6,T7,T8,T9,T10,T15,T20
- ▶ 9pcs Short Nut driver: 4,5,6,7,8,9,10,11,12
- ▶ 1pc 6.3x25mm 4-6 Ball Joint
- ▶ 1pc 6.3x50mm Extension bar
- ▶ 2pcs 4.0x60mm Extension bar

Packing quantity	Carton Size	Weight/CTN
24SET/CTN	42*23.5*27cm	16.5kg

38 in 1 Electric Precision screwdriver set



- ✱ T2 T3 T4
- ✚ PH000 PH00
- Y0.6 Y1.5 Y3.0
- 1.5 3.0
- H0.7, H0.9, H1.5, H2.0
- U2.0 ✱ T15H
- ☆0.8 ☆1.2
- ▲ 2.3 ✚ MID
- ▶ H4x45mm
- ✱ T6H T8H T9H T10H T15H T20H
- ✚ PH0 PH1 PH2
- 2.0 3.0
- ▶ Accessories:
- Electric handle x1 Magnetic pad x1
- Pry pick x4 Magnetizer x1 Charging cabl x1

Product Weight (Package included)	Item size (mm)	Packing specifications (cm)	Number of contents in the box	N.W/G.W
304g	67.3*22.9*157	36.5*22*29	50	15.2/16.2

68 in 1 Electric Precision screwdriver set



- ✱ T5H T6H T7H T8H T9H T10H T15H T20H
- ✱ T1 T2 T3 T4
- ✚ PH0000 PH000 PH00 PH0 PH1 PH2
- Y0.6 Y1.5 Y2.0 Y2.5 Y3.0
- 1.0 1.5 2.5 3.0 4.0
- H0.7 H0.9 H1.3 H1.5 H20 H2.5 H3.0 H3.5 H4.0
- U2.0
- ☆ P2(☆0.8) P5(☆1.2) P6(☆1.5)
- ▲ 2.0 2.3
- SQ0 SQ1 SQ2
- SIM
- ✚ MID*2
- ▶ H4x45mm
- ✱ T6H T8H T9H T10H T15H T20H
- H1.5 H2.0 H2.5
- ✚ PH0 PH1 PH2
- 2.0 3.0
- U2.6
- ▲ 3.0

- ▶ Accessories:
- Electric screwdriver handle x1,
 - Tweezers x1
 - Metal pry bar x1
 - Magnetizer and demagnetizer x1

Product weight (Package included)	Item size (mm)	Packing specifications (cm)	Number of contents in the box	N.W/G.W
493g	195*93*25	41.5*24.5*16.5	20	9.9/10.9

152 in 1 Precision screwdriver set



► Bit model(S2):

- ✦ T1x2 T2x2 T3x2 T4x2 T5 T6 T7 T8 T9 T10 T15
- ✦ T20 T5H T6H T7H T8H T9H T10H T15H T20H T25H
- 1.0x2 1.3x2 1.5x2 2.0x2 2.5x2 3.0 3.5 4.0 4.5 5.0
- ✦ PH00000x3 PH0000x3 PH0003 PH00x3 PH0x2 PH1x2 PH2x2
- ⦿ H1/8 H1/16 H3/16 H3/32 H5/32 H5/64 H7/64 H9/64
- ⦿ Y0.6x2 Y1.5x2 Y2.0 Y2.3 Y3.0
- ⦿ M2.5 M3.0 M3.5 M4.0 M4.5 M5.0 M5.5
- ✦ P2(☆0.8)x2, P5(☆1.2)x2, P6(☆1.5)x2, P8(☆2.0)
- ✦ PZ000 PZ00 PZ0 PZ1 PZ2
- U2.0 U2.6 U3.0 U4 U6
- ⦿ SQ0 SQ1 SQ2 SQ3
- ⦿ Y000 Y00 Y0 Y1 Y2
- ⦿ 0.7 0.9 1.0 1.3 1.5 2.0 2.5 3.0 3.5 4.0
- ▲ 2.0 2.3 2.7 3.0
- ⦿ G3.8 G4.5
- ✦ J000 J00 J0 J1 J2
- ✦ ICS(2.0)
- FS
- ✦ MID
- ⦿ SIM
- 1.5 3.0
- ⦿ OVAL
- ⦿ ü
- ⦿ 0.1 0.3

► H4*45mm

● 1.5 3.0

✦ PH1 PH2

► Accessory:

Screwdriver handle x1 Thin pry pick x4
Suction cup x1 Universal hose x1
Short pry bar x2 Bit adapter x1
Magnetizer and demagnetizer x1
tweezers x1

Product weight (Package included)	Item size (mm)	Packing specifications (cm)	Number of contents in the box	N.W/G.W
713g	195*110*50	47.5*29.5*35.5	40	29/30

Why Choose TOOLJOY ?

Strong Business Capabilities

TOOLJOY has been committed to the production of industrial grade professional tools and has rich experience in research and manufacturing. After 20 years of growth and development, the company has provided OEM service for no less than 50 well-known brands at home and abroad, familiar with product packaging design, product appearance collocation, familiar with the differentiation of customer habits



Strict Quality Control

As an ISO9001 quality management system certified enterprise, TOOLJOY always adheres to the commitment of "providing customers with professional and high-quality products and services, and ensuring high product quality through strict management control in the production process", and always adheres to the business philosophy of quality first, innovation as the source, and high-quality service, constantly meeting and exceeding customer needs. In today's increasingly fierce business competition, TOOLJOY has always adhered to a steady development strategy, strictly controlled material quality and processing technology, and exported professional and high-quality industrial products to the market.

Why Choose TOOLJOY ?

Rich Product Range

TOOLJOY has a wide range of electric tool accessories products, including fastening and drill bits, all kinds of driver bits, bit set, screwdriver, nut setter, socket, as well as various plastic products and tool boxes. TOOLJOY attaches great importance to the design and research and development of innovative products, constantly innovating. With a strong R&D team, first-class production equipment, and advanced production technology TOOLJOY will continuously output professional tool products to the market.



Professional Customer Service

product planning solutions and technical support to customers at any time and any place. At the same time, in order to ensure stable supply service quality. Quality assurance of customers with access to terminal users: visit foreign customers regularly twice a year to understand their usage and solve problems encountered in the use of customers. Quality Creates a joyful life is our pursuit.

TOOLJOY®

www.powertooljoy.com



TOOLJOY Manufacturing Co., Ltd.
Factory Add: No. 1076 Dongcheng
Road, Bowang Town, Ma'anshan
City, Anhui Province, China.
WhatsApp +86 13814141413

Tel. +86-0555-6166188
+86-13851848144

P.C 243000

Email alice.wang@powertooljoy.com